




# ECLATER APPLICATION AVEC QBI

Vous voulez découper une application avec QBI.  
Exemple: Voici mon application à éclater APPLI1.qvw



Je veux faire un refresh et un éclatement par famille.

Hiérarchie article	
Famille	1 Vetements Hommes
Article	2 Vetements Femmes
	3 Survetements
Hiérarchie client	4 Maillots de Bain
Pays	5 Chaussure Femmes
Région	6 Chaussure Hommes
Ville	7 Vetements Enfants
Client	8 Vetements Bébé

Ouverture console de management..  
Clic bouton Actions.  
Clic pour ajouter une action.   
Je choisis mon application.





The screenshot shows the 'Actions' management console. On the left, there is a sidebar with 'Management Console QBI' and buttons for 'General Parameters', 'Actions', and 'Logs'. Below this are various action categories like GENERAL, FILTER, CYCLE, MAIL, QVW, CSV, XML, TCD, PPT, BOOKMARK, APPLICATION GENERATOR, BURST, and GOOGLE. The main area displays a document path: 'C:\DATA\QBI\_V9\_0\IN\APPLI1'. A red bar indicates 'No Refresh'. An 'Info' dialog box is open, stating 'Analysis completed' with an 'OK' button. At the top, there is a toolbar with various icons and flags. At the bottom, it shows 'Mode : Add' and 'ID New : 1'.

Clic sur le bouton refresh.

This screenshot shows the same 'Actions' management console. The document path is now 'C:\DATA\QBI\_V9\_0\IN\APPLI1.qvw'. The red 'No Refresh' bar has been replaced by a green 'Refresh' button. The 'Info' dialog box is no longer present. The rest of the interface, including the sidebar and top toolbar, remains the same as in the previous screenshot.

Clic sur le bouton QVW dans generated Format



Actions

Management Console QBI

General Parameters | Actions

Logs

GENERAL | FILTER

CYCLE | MAIL

**QVW** | PDF

CSV | HTML

XML | XLS

TCD | QVD

PPT | PNG

BOOKMARK | BURST

APPLICATION GENERATOR | GOOGLE

Mode : Add ID New : 1

ACT_ID	ACT_NDM	DOC_NDM	ACTIF	REFRESH	FAV	FILTRES	CYCLE	MAIL	QVW	PDF	CSV	HTML	XLS	TCD	QVD	PPT	PNG	GOD	BURST	QVW	PDF	CSV	HTML	XLS	TCD	QVD	PPT	PNG	GOD	PRES
									QVW																					

Clic sur le bouton QVW pour l'activer.  
 Selection du répertoire dynamique et du nom dynamique

Actions

Management Console QBI

General Parameters | Actions

Logs

GENERAL | FILTER

CYCLE | MAIL

**QVW** | PDF

CSV | HTML

XML | XLS

TCD | QVD

PPT | PNG

BOOKMARK | BURST

APPLICATION GENERATOR | GOOGLE

Mode : Add ID New : 1

ACT_ID	ACT_NDM	DOC_NDM	ACTIF	REFRESH	FAV	FILTRES	CYCLE	MAIL	QVW	PDF	CSV	HTML	XLS	TCD	QVD	PPT	PNG	GOD	BURST	QVW	PDF	CSV	HTML	XLS	TCD	QVD	PPT	PNG	GOD	PRES
									QVW																					

Directory QVW = C:\DATA\QBI\_V9\_0\OUT\QVW

Dynamic Directory = ND

ND : no dynamic path  
 NAAAA: year ex : year 2011 path=2011)  
 NAAAA-1: year-1 ex : year 2011 path=2010)  
 NAAAAMMJJ: date ex : 15/01/2009 path=20090115)  
 NAAAAMM11-1: veschediv ex : 15/01/2009 path=20090114)

Dynamic Name = BURST

BURST the name is constructed with the filter value test\_France.pdf  
 XXXX\$TEXT XXXX among the choices \$TEXT add text in the name test\_TEXT\_....pdf  
 NF1 we construct the name with the value of filter1  
 NF2 we construct the name with the value of filter2





**Actions**

Management Console QBI

General Parameters | Actions

Logs

GENERAL | FILTER

CYCLE | MAIL

QVW | PDF

CSV | HTML

XML | XLS

TCD | QVD

PPT | PNG

BOOKMARK | BURST

APPLICATION GENERATOR | GOOGLE

Mode : Add ID New : 1

ACT_ID	ACT_NOM	DOC_NOM	ACTIF	REFRESH	FAV	FILTRES	CYCLE	MAIL	QVW	PDF	CSV	HTML	XLS	TCD	QVD	PPT	PNG	GOD	BURST	QVW	PDF	CSV	HTML	XLS	TCD	QVD	PPT	PNG	GOD	PREs

**Burst**

Burst Tab code = CH999

Burst Field = Code Famille

Onglet	TYPE	ID	OB...	Caption
Accueil	Text	TX17		
		TX18		
		TX19		

FIELDS
%BUREAU_KEY
%COD_EMPLOYE_K...
%CODE_ARTICLE_...
%CODE_CDE_KEY

Sauvegarde



Je peux lancer l'action



**Actions**

Management Console QBI

General Parameters | Actions

Logs

GENERAL | FILTER

CYCLE | MAIL

QVW | PDF

CSV | HTML

XML | XLS

TCD | QVD

PPT | PNG

BOOKMARK | BURST

APPLICATION GENERATOR | GOOGLE

Mode : Add ID New : 2

ACT_ID	ACT_NOM	DOC_NOM	ACTIF	REFRESH	FAV	FILTRES	CYCLE	MAIL	QVW	PDF	CSV	HTML	XLS	TCD	QVD	PPT	PNG	GOD	BURST	QVW	PDF	CSV	HTML	XLS	TCD	QVD	PPT	PNG	GOD	PREs
1	APPL11	APPL11.qvw																												

**Burst**

Burst Tab code = CH999

Burst Field = Code Famille

Onglet	TYPE	ID	OB...	Caption
Accueil	Text	TX17		
		TX18		
		TX19		

FIELDS
%BUREAU_KEY
%COD_EMPLOYE_K...
%CODE_ARTICLE_...
%CODE_CDE_KEY



**Actions**

Management Console QBI

General Parameters | Actions

Logs

GENERAL | FILTER

CYCLE | MAIL

QVW | PDF

CSV | HTML

XML | XLS

TCD | QVD

PPT | PNG

BOOKMARK | BURST

APPLICATION GENERATOR | GOOGLE

Mode : Add ID New : 2

ACT\_ID ACT\_NOM DOC\_NOM ACTIF REFRESHI FILTERS CYCLE MAIL QVW PDF CSV HTML XLS QVD TCD QVD QVD QVD QVD QVD QVD QVD PRES

1 APPLI1 APPLI1.qvw

Burst

Burst Tab code = CH999

Confirmation: Confirm action? (no to create .bat only)

Burst Field = Code Famille

FIELDS: %BUREAU\_KEY, %CODE\_EMPLOYE\_K, %CODE\_ARTICLE, %CODE\_CDE\_KEY

## Clic Oui

QVW

Fichier Edition Affichage Favoris Outils ?

Précédente - Rechercher Dossiers

Adresse C:\DATA\QBI\_V9\OUT\QVW

Gestion des fichiers

- Créer un nouveau dossier
- Publier ce dossier sur le Web
- Partager ce dossier

Autres emplacements

- OUT

APPLI1\_1.qvw Document QlikView 353 Ko

APPLI1\_2.qvw Document QlikView 353 Ko

APPLI1\_3.qvw Document QlikView 356 Ko

APPLI1\_4.qvw Document QlikView 346 Ko


APPLI1\_5.qvw Document QlikView 347 Ko

APPLI1\_6.qvw Document QlikView 346 Ko

APPLI1\_7.qvw Document QlikView 343 Ko

APPLI1\_8.qvw Document QlikView 352 Ko

## Resultats Application famille 1




## Application famille 2





Je peux relancer avec le .Bat ou le programmer dans un scheduler.



Je peux visualiser ou analyser les logs

